

Hellenic Sports Medicine
ΑΘΛΗΤΙΑΤΡΙΚΗ



www.sportsmedicinegreece.com

Τόμος 2, Τεύχος 2, Δεκέμβριος 2007
VOLUME 2 - ISSUE 2, DECEMBER 2007



HELLENIC SPORTS MEDICINE

Journal of the Sports Medicine
Association of Greece (S.M.A.G.)

Founder

K. Natsis

Publisher

K. Natsis

S.M.A.G. President

Property

Sports Medicine

Association of Greece

P.O. Box 1616, 54124, Thessaloniki

Printing House

PMP

(Paschalidis Medical Publications, Ltd)

14th, Tetrapoleos str.,

Athens, 115-27, Greece

Tel.: 0030-210-7789.125,

Fax: 0030-210-7759.421

Publishing Committee

P. Gigis

G. Godolias

N. Malliaropoulos

K. Natsis

Em. Papakostas

I. Terzidis

EDITORIAL BOARD

Director

K. Natsis

Members

N. Anastasopoulos

E. Asouhidou

I. Gigis

V. Karampatakis

K. Manavis

An. Beletsiotis

Em. Papakostas

N. Raikos

I. Terzidis

ΑΘΛΗΤΙΑΤΡΙΚΗ

Περιοδική Έκδοση της Αθλητιατρικής
Εταιρείας Ελλάδος (Α.Ε.Ε.)

Ιδρυτής

Κ. Νάτσης

Εκδότης

Κ. Νάτσης

Πρόεδρος Α.Ε.Ε.

Ιδιοκτησία

Αθλητιατρική

Εταιρεία Ελλάδος

Τ.Θ. 1616, 54124 Θεσσαλονίκη

Εκδοτικός Οίκος

Ιατρικές Εκδόσεις

Π.Χ Πασχαλίδης

Τετραπόλεως 14,

115 27 Αθήνα

Τηλ.: 0030-210.7789.125

Fax: 0030-210.7759.421

Εκδοτική Επιτροπή

Π. Γιγής

Γ. Γκοδόλιας

Ν. Μαλλιάρουπουλος

Κ. Νάτσης

Ε. Παπακώστας

Ι. Τερζίδης

ΣΥΝΤΑΚΤΙΚΗ ΕΠΙΤΡΟΠΗ

Διευθυντής

Κ. Νάτσης

Μέλη

Ν. Αναστασόπουλος

Ε. Ασουχίδου

Ι. Γιγής

Β. Καραμπατάκης

Κ. Μαναβής

Αν. Μπελετσιώτης

Εμ. Παπακώστας

Ν. Ράικος

Ι. Τερζίδης

Journal Secretariat

I. Terzidis
A. Adamopoulou

Γραμματεία Περιοδικού

I. Τερζίδης
Α. Αδαμοπούλου

Consulting Editors - Reviewers

M. Albani
K. Vasilikos
A. Georgoulis
P. Gigis
G. Gioulekas
G. Kapetanos
T. Lialiaris
A. Manthos
P. Baltopoulos
P. Nikolaou
N. Dombros
S. Papastergiou
D. Radopoulos
P. Skandalakis
P. Tsikaras
I. Tsitouridis
M. Tsolaki
E. Tsoukali-Papadopoulou
A. Christodoulou
I. Christoforidis

Σύμβουλοι Έκδοσης - Κριτές

M. Αλμπάνη
Κ. Βασιλικός
Α. Γεωργούλης
Π. Γιγής
Γ. Γιουλέκας
Γ. Καπετάνος
Θ. Λιαλιάρης
Α. Μάνθος
Π. Μπαλτόπουλος
Π. Νικολάου
Ν. Ντόμπρος
Σ. Παπαστεργίου
Δ. Ραδόπουλος
Π. Σκανδαλάκης
Π. Τσικάρης
Ι. Τσιτουρίδης
Μ. Τσολάκη
Ε. Τσούκαλη-Παπαδοπούλου
Α. Χριστοδούλου
Ι. Χριστοφορίδης

International Editorial Board

H. J. Appell
N. Bachl
K. Christodoulakis
J. Duarte
G. Godolias
A. Ionescu
J. Koebke
U. Moebius
F. Pigozzi

Ετήσια Συνδρομή

Φυσικά Πρόσωπα: 30€
Φοιτητές: 10€
Ιδρύματα, Οργανισμοί κ.λ.π.: 40€

Διανέμεται Δωρεάν στα Ταμειακώς
Τακτοποιημένα Μέλη της Α.Ε.Ε.

Εγγραφές, Εμβάσματα (συνδρομών)-Διαφημίσεις

Αθλητιατρική Εταιρεία Ελλάδος
Τ.Θ. 1616, 54124 Θεσσαλονίκη
e-mail: natsis@med.auth.gr
Τραπεζικός Λογαριασμός:
Τράπεζα Eurobank,
Αριθμός: 0026.0139.32.0100519422



**SPORTS MEDICINE
ASSOCIATION OF GREECE**

Management Committee

President: K. Natsis

1st Vice President: P. Gigis

2nd Vice President: P. Nikolaou

Gen. Secretary: I. Terzidis

Ass. Secretary: N. Malliaropoulos

Treasurer: E. Papacostas

Library Supervisor: A. Porfiriadou

Members: N. Anastasopoulos

A. Beletsiotis

Ch. Bikos

S. Galitsanos

G. Godolias

K. Manavis

A. Papoutsidakis

N. Tzouroudis

**ΑΘΛΗΤΙΑΤΡΙΚΗ
ΕΤΑΙΡΕΙΑ ΕΛΛΑΔΟΣ**

Διοικητικό Συμβούλιο

Πρόεδρος: Κ. Νάτσης

Α' Αντιπρόεδρος: Π. Γιγής

Β' Αντιπρόεδρος: Π. Νικολάου

Γεν. Γραμματέας: Ι. Τερζίδης

Ειδ. Γραμματέας: Ν. Μαλλιαρόπουλος

Ταμίας: Ε. Παπακώστας

Εφ. Βιβλιοθήκης: Α. Πορφυριάδου

Μέλη: Ν. Αναστασόπουλος

Σ. Γαλιτσάνος

Γ. Γκοδόλιας

Κ. Μαναβής

Α. Μπελετσιώτης

Χ. Μπίκος

Α. Παπουτσιδάκης

Ν. Τζουρούδης



www.sportsmedicinegreece.com

Instructions for Authors

The "Hellenic Sports Medicine" is the official journal of the Sports Medicine Association of Greece. The journal publishes original papers, reviews, short communications and letters to the Editors from Greece or abroad. Manuscripts submitted to the journal must contain novel data on theoretical, clinical or experimental research or on practical applications in the field of sports medicine. No substantial part of the submission should have been published elsewhere. If a part of the submission has been published or presented on a congress, symposium, or national meeting proceeding, the reference for that publication and/or presentation should be given in the manuscript acknowledgement section. Submitted papers undergo peer reviewing by three independent reviewers.

CATEGORIES OF ARTICLES ACCEPTED FOR REVIEW

Review articles: Review articles on topics of broad interest are desirable. Authors who wish to submit an unsolicited review article should correspond with the Editors in Chief to determine the timeliness of the proposed review article. The correspondence should include an abstract and a complete outline of the proposed review article, including figures and tables (if possible). Review articles should not exceed 20 pages or 24,000 characters, including references and figures. Review articles are considered by the Editors and expert reviewers before a final decision regarding publication is made. Authors submitting review manuscripts should include a section describing the methods used for locating, selecting, extracting and synthesizing data. These methods should also be summarized in the abstract.

Original articles: Clinical, theoretical or experimental (basic or applied) research or practical applications in the field of Sports Medicine. Original articles should not exceed a total of 10 pages or 15,000 characters, including tables, figures and references. References should not exceed a total of 50. The form required include an abstract (no more than 250 words), a brief introduction where the purpose of the study should be referred, methods, statistical processing, results, discussion and references.

Rapid communications: Short manuscripts containing results of unusual scientific interest and importance, requiring rapid publication. Papers sub-

mitted for this accelerated process must require little or no revision. Accompanying the submission should be a letter from the authors stating why they feel the paper should be published as a rapid communication. The manuscripts must not exceed four journal pages (2,500 words including figures, tables and references). The format is the same as for full papers. References should not exceed 15.

Information articles: It is presented recent achievements in the field of Sports Medicine and they should not exceed six pages.

Proceedings, supplements and lectures of Sports Medicine congress.

Letters to the Editor: They are welcome and will be published if appropriate. Letters (maximum length 800 words) relating to material previously published in "Hellenic Sports Medicine" should be submitted within 6 months after publication of the material the letter is referring to.

STYLE OF THE MANUSCRIPTS

Manuscripts may be rejected without review on the basis of poor English or lack of conformity to stated standards of style. The text of observational and experimental articles is usually divided into sections with the headings: Introduction, Methods, Results and Discussion. Other types of articles, such as case reports, reviews and editorials, are likely to need other formats. Type or print on only one side of the paper. Use double-spacing throughout, including for the title page, abstract, text, acknowledgements, references, individual tables, and legends. There must be a space of 2.5 cm on each side of the paper.

First page: It should be referred the title. The title should be concise but informative. Names and addresses of the authors should not appear elsewhere in the main document, but in the bottom of the first page. The name of the clinic or the institution where the manuscript is coming from should also be referred in the first page. These data are entered separately.

Abstract: The abstract should be informative, self-explanatory without reference to the text of the manuscript. It should include essential significant results that support the conclusion of the work. It should also include the title and names of the authors.

Key-words should be 3-5 and representative of the subject studied or discussed.

Introduction: It should be comprehensible to the general reader, give a clear statement of the purpose of the paper and provide relevant context to support the basis for the paper and the significance of the work. Do not exhaustively review the literature or refer results from the work having done.

Materials & Methods: Provide sufficient information in the text or by reference to other work to permit the submitted work to be repeated without the need to communicate with the authors. Relevant validity and reliability data should be provided for critical methods. State the type of statistical tests used. Include the number of observations and the statistical findings when appropriate. Parametric and nonparametric statistics must be used as appropriate. When reporting experiments on human subjects, indicate whether the procedures followed were in accordance with the ethical standards of the responsible committee on human experimentation and with the Helsinki Declaration of 1975, as revised in 1983. Do not use patients' names, initials or hospital numbers, especially in illustrative material such as figures. When reporting experiments on animals, indicate whether the institution's or a national research council's guide for, or any national law on, the care and use of laboratory animals was followed.

Results: Should be presented precisely and should not contain material that is appropriate in the discussion. Units, quantities, and formulas should be expressed according to the Systeme Internationale (SI units). All measurements should be given in metric units.

Discussion: Emphasize the new and important aspects of the study and conclusions derived from the study.

Acknowledgements: These should be as brief as possible. Any grant that requires acknowledgement should be mentioned. The names of funding organizations should be written in full.

References: Titles of journals should be abbreviated according to the latest edition of Index Medicus. All authors should be named (do not use "et al."). Authors bear complete responsibility for the accuracy of the references. The references must be written according to Vancouver System. Number references (arabic numbers) consecutively in the order in which they are first mentioned in the text. Type references in the text by Arabic numbers as superscripts (above

the line of the text) and if at the end of a sentence after the period.

Only published or "in press" papers or books may be cited in the reference list. Information from manuscripts submitted but not yet accepted should be cited in the text as "unpublished observations" in parentheses. Personal communications should be listed in the text in parentheses. Published abstracts could be used as references only if the full text has not been published yet. Use of a large number of abstracts or non peer reviewed articles in the reference section will be grounds for rejection of the submission without review.

a) Journal article: Hubbard TJ, Hertel J. Mechanical contributions to chronic lateral ankle instability. *Sports Med.* 2006;36(3):26377.

b) Complete book: Hutson M.A. Sports Injuries. Recognitions and management. Oxford University Press, Oxford, 1990.

c) Chapter in a book: Phillips SJ, Whisnant JP. Hypertension and stroke. In: Leregh JH, Brenner BM, editors, Hypertension: pathophysiology, diagnosis, and management. 2nd ed. New York: Raven Press; 1995. p. 465-78.

d) Conference/Congress proceedings: Tocitu D, editor Enzymatic of the adaptative processes in High-Performance Sport. Proceedings of the 12th Balkan Sports Medicine Congress, 6th International Congress of the Sports Medicine Association of Greece, 3rd Hellenic-Cyprus Sports Medicine Congress 2002 March 21-24; Thessaloniki, Greece.

e) Dissertation: K.Natsis. Ultrastructural study of the skeletal muscle fibers after an experimental muscle atrophy [dissertation number 870]. Medical School, Aristotle University of Thessaloniki, 1993.

F) Journal article in electronic format: Christodoulou A, Terzidis i, Natsis k, Gigis i, Pournaras j. Soleus accessorius, an anomalous muscle in a young athlete: case report and analysis of the literature. *Br J Sports Med* 2004;38(6):e-38

Available from: URL:

<http://bjsm.bmj.com/cgi/content/full/38/6/e38>

Figures: Figures, illustrations, or halftones should be used when findings are best visually communicated. The use of photographs or equipment and experimental subjects should be avoided; good line drawings are more informative. Abbreviations used in the figure must be explained in the legend. Reference to the figure should be made in the text. Figures, illustrations or halftones must be sharp and high contrast. Uniform typographical setup (font style & size,

line thickness) of all figures in a paper is highly desirable. Images should be provided as .tif or .jpg files in a resolution of 300 dpi. Color figures, illustrations or halftones will not be published unless the author requires color in the publication. In this case the author will be charged with the additional cost of printing.

Tables: Tables should be used to communicate information that is hard to present visually. Results whose interpretation is more easily comprehended by knowing the means and SEM (or SD) may be presented in a table(s). Tables should be self-explanatory and bear a short title. Tables should be provided either as word or excel files.

Legends: Table and figure legends should be typed on separate sheet. A footnote to the table should explain all abbreviations used in the table.

SUBMITTING INFORMATION

- 1) Three full complimentary copies are supplied.
- 2) Every article should be followed by a cover letter citing the category of the article, that the article has not been published in the past in a Greek or international journal and that the authors demise the auctorial authorities to the Editorial Board. All the authors should sign the letter, which should not exceed the total of 800 words.
- 3) The article should be submitted necessarily in a "Word file" (CD or disk 3,5 A). Figures should submitted in tif or jpg files having a resolution at least 300 dpi.

GENERAL INFORMATION

After 6-8 weeks from receiving the article, the Editorial Board is going to inform the authors for accepting or not the manuscript.

Numbers one to nine should be referred fully written and up to ten arithmetically. Percentages should be referred always digitally, while a number in the beginning of a sentence should be fully written. Abbreviations should be written initially in parenthesis next to the full phrase.

Studies published in "Hellenic Sports Medicine" constitute literary property of the journal. Republishing partial or total is allowed only after written permission of the Editorial Board.

Papers must be sent to:

FOR THE JOURNAL HELLENIC SPORTS MEDICINE

Kostantinos Natsis, MD, PhD
Orthopaedic Surgeon
Pl. Ippodromiou . 17
P.C. 546 21 Thessaloniki
GREECE

email: natsis@med.auth.gr



Contents

- The necessity of foundation of Sports Medicine specialty in Greece -
The need of physicians in courts - Athlete's health bulletin" 17**
Natsis K.
- Charter on training of medical specialists in the EU 20-24**
Union Europeenne Des Medecins Specialistes
- The 2008 prohibited list. World Anti-doping Code 25**
- Trauma - related primary luxation of the patella -
Arthroscopic - supported medial retinaculum suture 33**
Meyer O., Georgallas C., Godolias G.
- The effect of therapeutic exercise as rehabilitation method
in athletes aged 13-18 years old with local isthmic
spondylolisthesis 41**
*Yiapraki M., Kitsios A., Fotiadou E., Pissas D., Sikaras E.,
Kourouni E., Tsakiri G.*
- Exercise and nutrition as health regulating factors, in the
Hippocratic Corpus 47**
Christopoulou - Aletra H., Gigis P.
- Abstracts of oral and poster announcements of 6th Greek-Cypriot
Sports Medicine Congress 51**

Trauma-related primary luxation of the patella -Arthroscopic - supported medial retinaculum suture

Meyer O., Georgallas C., Godolias G.

Abstract

Between November 2001 and March 2004, arthroscopic-supported medial retinaculum suture was performed in our hospital on 98 patients after primary luxation of the patella. The operation is performed in a modification of the technique described by Yammamoto. Osteochondral fragments at the lateral femurcondylus or at the medial patella facette could be found in 56 patients. The mean hospital stay was 3 days, limitation of movement by or-thesis was generally required for a period o 4-6 weeks postoperative. In the follow-up of mean 37 months to date, luxations recurred in 7 patients. This recurrence rate of 7.1% is well bellow the figures cited for conservative therapy of patella luxation in the literature. For the patient, the arthroscopic-supported medial retinaculum suture is a minimally-invasive procedure with good to excellent postoperative results.

Key words: knee, patellar dislocation, retinaculum suture, arthroscopy.

The effect of therapeutic exercise as rehabilitation method in athletes aged 13-18 years old with local isthmic spondylolisthesis

Giapraki M., Kitsios A., Fotiadou E., Pissas D., Sikaras E., Kourouni E., Tsakiri G.

Abstract

The purpose of the present study was the estimation of a specific rehabilitation programme in 35 adolescent athletes with a percentage of isthmic spondylolisthesis <12%. Additional goal was set to be the checking of the influence of "gender" and "sport" in the grade of recovery. The rehabilitation programme included wearing a Boston brace, correction of body's standing, stabilization exercises, PNF and McKenzie and also 'back school' exercises 3 days per week for 4 months. Measurements were conducted before and after the intervention, including the final percentage of slip. For the statistical examination of the results one-way ANOVA, 3-way ANOVA repeated measures and Scheffe post hoc tests were performed. One-way ANOVA showed that there were statistically significant differences between the original and final measurement. The statistical method 3-way ANOVA repeated measures showed that the interaction 'gender' and 'sport' created statistically significant differences between groups only for the results of the extensors of the knee in torque at 300 deg/sec. Finally, Scheffe post hoc test showed that track and field athletes seem to be favored through the rehabilitation programme, in that they excel in strengthening of psoas and quadriceps muscles from the other three kinds of athletes. No other differences were found between groups. Conclusively the whole rehabilitation programme created positive effects in the reduction of the percentage of slippage, especially for the male track and field athletes.

Key words: isthmic spondylolisthesis, adolescent athletes, low back pain, spondylolysis.

Exercise and nutrition as health regulating factors, in the *Hippocratic Corpus*.

Christopoulou-Aletra E, Gigis P.

History of Medicine, School of Medicine Aristotle University of Thessaloniki.

Abstract

In the Hippocratic Corpus it is extensively used the term "diet" meaning both nutrition and life style. Exercise, walking, mental activity, profession, sex, rest and sleep are all evaluated in order to obtain the best possible balance of the four humours in the body which ensure health, according to the Hippocratic physicians. Exercise and controlled nutrition may be evaluated thus as preventive factors in the life of men. However, all these parameters may be effective only if we take into consideration the individuality of each person, his constitution, sex and age. Exercise and controlled nutrition may also act as treating factors for the restoration of health in cases of illnesses. Today the treatments of many diseases depend on exercise and proper diet.

Key words: Hippocratic corpus, exercise, nutrition.